

February 4, 2021

## **Two cases of equine herpes virus-1 infection at an equine facility in the Regional Municipality of Halton**

On February 4, 2021 the Ontario Ministry of Agriculture, Food and Rural Affairs (OMAFRA) was notified of two confirmed cases of equine herpes virus-1 (EHV-1) infection at an equine facility in the Regional Municipality of Halton. Both horses had a fever and were tested as part of a follow-up investigation into the deaths of three horses at the facility. These three horses were euthanized between January 29 and February 3 following the sudden onset of severe incoordination and being down and unable to rise. The facility is under veterinary supervision and the manager has implemented strict biosecurity measures and movement restrictions.

EHV-1 does not pose a threat to public health or food safety.

EHV-1 infection is immediately notifiable by laboratories to OMAFRA under the Animal Health Act. Attending veterinarians concerned about potential cases of EHV-1 infection may contact an OMAFRA veterinarian through the Agricultural Information Contact Centre at 1-877-424-1300.

*EHV-1 infection in horses can cause  
respiratory disease, abortion, neonatal foal death,  
and/or neurological disease.*

Because a fever (greater than 101.5 °F or 38.6 °C) may be the first indication of infection, the temperature of potentially exposed animals should be monitored and recorded twice daily for 21 days and any abnormalities discussed with a veterinarian. Neurological signs, if they develop, may include loss of balance, hind-limb

---

Agricultural Information Contact Centre  
1-877-424-1300

E-mail : [ag.info.omafra@ontario.ca](mailto:ag.info.omafra@ontario.ca)  
[www.ontario.ca/omafra](http://www.ontario.ca/omafra)

weakness, difficulty urinating, decreased tail tone, depression and being down and unable to rise. It is important that a veterinarian assess horses demonstrating neurological signs since it can be difficult to distinguish this from other serious diseases such as rabies.

EHV-1 infection is easily spread to other horses by nose-to-nose or close contact with an infected horse, by sharing contaminated equipment including bits, buckets and towels or by the clothing and hands of people who have recently had contact with an infected horse. It is important, therefore, to restrict movement for 21 days of both people and horses where EHV-1 has been diagnosed. Any person leaving a facility to care for or be in contact with horses elsewhere should change their clothes, shoes/boots and wash their hands before leaving the property. Facility owners should also inform all service providers that have attended the facility within the previous week, including, but not restricted to, veterinarians, farriers, feed suppliers and transporters, of the presence of the virus at the facility so they can take appropriate precautions.

### **Prevention is the best medicine**

Biosecurity is key to preventing spread of EHV-1. Implementing routine biosecurity measures is the best way to minimize viral spread and should be in place at all times to prevent a disease outbreak. Such measures include hand hygiene and basic cleaning and disinfection practices. Horses that have been shipped long distances should be segregated for 14 days prior to entering the general population.

EHV-1 vaccines marketed for prevention of respiratory disease may reduce viral shedding but are not protective against developing the neurological form of the disease in the vaccinated animal.

### **For additional information:**

#### **OMAFRA**

Preventing Disease Spread - Personal Hygiene and Disinfectants around Horse Barns:

<http://www.omafra.gov.on.ca/english/livestock/horses/facts/prev-disease-spread.htm>

Horses - Health Management and Biosecurity:

<http://www.omafra.gov.on.ca/english/livestock/horses/health.html>

Equine Neurological Disease Surveillance 2018:

[http://www.omafra.gov.on.ca/english/livestock/horses/facts/nhd\\_surv2018.htm](http://www.omafra.gov.on.ca/english/livestock/horses/facts/nhd_surv2018.htm)

#### **CFIA**

National Farm and Facility Level Biosecurity Standard for the Equine Sector:

---

Agricultural Information Contact Centre  
1-877-424-1300

E-mail : [ag.info.omafra@ontario.ca](mailto:ag.info.omafra@ontario.ca)  
[www.ontario.ca/omafra](http://www.ontario.ca/omafra)

<http://www.inspection.gc.ca/animals/terrestrial-animals/biosecurity/standards-and-principles/equine-sector/eng/1460662612042/1460662650577>

## **EQUINE GUELPH**

Equine Biosecurity Risk Calculator:

[http://www.equineguelph.ca/Tools/biosecurity\\_2011.php](http://www.equineguelph.ca/Tools/biosecurity_2011.php)

## **ALBERTA VETERINARY MEDICAL ASSOCIATION AND ALBERTA EQUESTRIAN FEDERATION**

Equine Biosecurity Principles and Best Practices:

[http://www1.agric.gov.ab.ca/\\$Department/deptdocs.nsf/all/cpv13683/\\$FILE/equine\\_biosecurity\\_principles\\_and\\_best\\_practices\\_guide.pdf](http://www1.agric.gov.ab.ca/$Department/deptdocs.nsf/all/cpv13683/$FILE/equine_biosecurity_principles_and_best_practices_guide.pdf)

**Agricultural Information Contact Centre**

**1-877-424-1300**

[ag.info.omafra@ontario.ca](mailto:ag.info.omafra@ontario.ca)

---

Agricultural Information Contact Centre

1-877-424-1300

E-mail : [ag.info.omafra@ontario.ca](mailto:ag.info.omafra@ontario.ca)  
[www.ontario.ca/omafra](http://www.ontario.ca/omafra)